



DRIVER Guidelines - Change Log

Last modified: 2007-12-12

This change log tracks the changes of the DRIVER Guidelines “Exposing textual resources with OAI-PMH”.

TOC

DRIVER Guidelines - Change Log	1
Appendix version 1.1 to 1.1.1	2
Part Annex: specific guidelines for use of MPEG-21 DIDL (xml-container).....	2
Correction of namespace schemalocation	2
Changing vocabulary for ORE compliancy	3
metadataPrefix correction.....	4



Appendix version 1.1 to 1.1.1

Part Annex: specific guidelines for use of MPEG-21 DIDL (xml-container)

Correction of namespace schemalocation

These changes are made due to a small error in the dip namespace. Also the schema location at LosAlamos used in every example on the internet are not the official ones, these are.

Page 29, 38

```
xmlns:didl="urn:mpeg:mpeg21:2002:02-DIDL-NS"
xmlns:dcterms="http://purl.org/dc/terms/"
xmlns:dii="urn:mpeg:mpeg21:2002:01-DII-NS"
xmlns:dip="urn:mpeg:mpeg21:2002:01-DIP-NS"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="
urn:mpeg:mpeg21:2002:02-DIDL-NS http://purl.lanl.gov/STB-RL/schemas/2006-09/DIDL.xsd
urn:mpeg:mpeg21:2002:01-DII-NS http://purl.lanl.gov/STB-RL/schemas/2003-09/DII.xsd
urn:mpeg:mpeg21:2002:01-DIP-NS http://purl.lanl.gov/STB-RL/schemas/2003-09/DIP.xsd"
```

becomes:

```
xmlns:didl="urn:mpeg:mpeg21:2002:02-DIDL-NS"
xmlns:dcterms="http://purl.org/dc/terms/"
xmlns:dii="urn:mpeg:mpeg21:2002:01-DII-NS"
xmlns:dip="urn:mpeg:mpeg21:2005:01-DIP-NS"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="
urn:mpeg:mpeg21:2002:02-DIDL-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
21_schema_files/did/didl.xsd

urn:mpeg:mpeg21:2002:01-DII-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
21_schema_files/dii.xsd/dii.xsd

urn:mpeg:mpeg21:2005:01-DIP-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
21_schema_files/dip/dip.xsd">
```

Changing vocabulary for ORE compliancy

These changes make the used vocabulary compliant with the ORE alpha specs. Released at 11 December 2007. <http://www.openarchives.org/ore/toc>

Page 32

```
<dip:ObjectType>info:eu-repo/semantics/hasMetadata</dip:ObjectType>
```

Becomes

```
<dip:ObjectType>info:eu-repo/semantics/descriptiveMetadata</dip:ObjectType>
```

Page 33, 35, 39

```
<dip:ObjectType>info:eu-repo/semantics/hasDescriptiveMetadata</dip:ObjectType>
```

Becomes

```
<dip:ObjectType>info:eu-repo/semantics/descriptiveMetadata</dip:ObjectType>
```

Page 33, 36, 39, 40

```
<dip:ObjectType>info:eu-repo/semantics/hasResourceLocation</dip:ObjectType>
```

Becomes

```
<dip:ObjectType>info:eu-repo/semantics/objectFile</dip:ObjectType>
```



Page 34, 37, 41

<dip:ObjectType>info:eu-repo/semantics/hasIntermediatePageLocation</dip:ObjectType>

Becomes

<dip:ObjectType>info:eu-repo/semantics/**humanStartPage**</dip:ObjectType>

Page 34

- info:eu-repo/semantics/hasDescriptiveMetadata
(This Item occurs 1 or many times)
- info:eu-repo/semantics/hasResourceLocation
(This Item occurs 1 or many times)
- info:eu-repo/semantics/hasIntermediatePageLocation
(This Item occurs 0 or 1 time)

becomes

- info:eu-repo/semantics/**descriptiveMetadata**
(This Item occurs 1 or many times)
- info:eu-repo/semantics/**objectFile**
(This Item occurs 1 or many times)
- info:eu-repo/semantics/**humanStartPage**
(This Item occurs 0 or 1 time)

Page 39, 40, 41

Identifiers info:doi/10.1874/

Becomes

Identifiers urn:nbn:nl:ui:10- with a persistent status due to repository agreements.

NBN's are compared to DOI's free of charge. The repository will be more cost efficient in the future when Identifiers are more and more used in multi-clustered complex objects or enhanced publications.

metadataPrefix correction

To keep the name very simple so no confusion could occur.

The DIDL document will be returned within a OAI-record when using **didl_document** as value of the metadataPrefix verb.

Becomes:

The DIDL document will be returned within a OAI-record when using **didl** as value of the metadataPrefix verb.